

Exploring Potential Application Areas of Artificial Intelligence-Infused System for Engagement Recognition: Insights from Special Education Experts

Won Kim
Gwangju Institute of Science and
Technology
Gwangju, South Korea
kimwon30@gm.gist.ac.kr

Minwoo Seong
Gwangju Institute of Science and
Technology
Gwangju, South Korea
seongminwoo@gm.gist.ac.kr

Joseph DelPreto
Massachusetts Institute of Technology
Cambridge, United States
delpreto@csail.mit.edu

Wojciech Matusik
Massachusetts Institute of Technology
Cambridge, United States
wojciech@csail.mit.edu

Daniela Rus
Massachusetts Institute of Technology
Cambridge, United States
rus@csail.mit.edu

SeungJun Kim*
Gwangju Institute of Science and
Technology
Gwangju, South Korea
seungjun@gist.ac.kr

Abstract

Active engagement where children with autism spectrum disorder (ASD) are involved (e.g., educational and social activities) plays a crucial role in enhancing their cognitive, motor, and social development. This offers opportunities to enhance overall development, including learning abilities, physical coordination, and social interactions. Indirect methods, leveraging sensors and artificial intelligence (AI), have exhibited potential for enhancing engagement predictions but have been primarily focused within specific fields, resulting in a gap that leads to limited generalizability of ASD studies. This gap, due to small ASD sample sizes, presents a significant challenge as the annual ASD population increases, highlighting the need for practical and applicable research solutions, especially for general learning. In this work, we conducted expert interviews to explore the potential application areas of AI-infused systems that provide three levels of engagement status for children with ASD, ranging from "not engaged and out of control" to "highly engaged." Interviews with special educators revealed five key application areas for AI-driven engagement recognition: social skills training, stereotyped behavior modification, support for leisure activities, effective tutoring, and independent daily living skills. These findings highlight the potential of adaptive AI interventions in improving educational and daily outcomes, advocating for expanded applications for children with ASD.

CCS Concepts

• **Human-centered computing** → **Accessibility theory, concepts and paradigms.**

Keywords

Application; Artificial intelligence-infused system; Autism spectrum disorder; Engagement recognition; Expert interview

ACM Reference Format:

Won Kim, Minwoo Seong, Joseph DelPreto, Wojciech Matusik, Daniela Rus, and SeungJun Kim. 2024. Exploring Potential Application Areas of Artificial Intelligence-Infused System for Engagement Recognition: Insights from Special Education Experts. In *Companion of the 2024 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp Companion '24)*, October 5–9, 2024, Melbourne, VIC, Australia. ACM, New York, NY, USA, 6 pages. <https://doi.org/10.1145/3675094.3678376>

1 Introduction

Autism spectrum disorder (ASD) is a neurodevelopmental disorder characterized by delays and deficits in cognitive, motor, and social development [8, 27], which may compromise engagement in daily activities [28, 39]. Active engagement has been conceptualized as a dynamic construct crucial for learning in the early stages of children with ASD [37], implying that recognizing engagement is crucial. However, understanding the direct engagement status of children with ASD is complex and challenging, considering that individuals may exhibit different patterns or behaviors based on their engagement level [35]. Therefore, indirect methods such as the use of sensors have become prevalent [5]. Moreover, the adoption of artificial intelligence (AI) has resulted in advancements in the accuracy of engagement prediction [33]; however, most studies have not focused on its practical application and further development toward potential application areas for children with ASD [22].

An Engagement dataset was proposed for "engagement recognition" and facilitating interventions of children with ASD, aiming at AI application purposes in the context of a serious game (SG) with off-the-shelf wearable devices (Empatica E4 [18]), all of which have demonstrated potential for practical implementation in real world settings [22]. This dataset publicly provides multi-dimensional data while children are involved in SG, defined as "a game designed not just for enjoyment but also for skill development." SG offers benefits such as ease of use, potential for practical replication, and structured, repetitive learning [4, 36]. It is widely utilized in research



This work is licensed under a Creative Commons Attribution International 4.0 License.

UbiComp Companion '24, October 5–9, 2024, Melbourne, VIC, Australia
© 2024 Copyright held by the owner/author(s).
ACM ISBN 979-8-4007-1058-2/24/10
<https://doi.org/10.1145/3675094.3678376>



Figure 1: Expert interview illustration depicting the process of exploring potential application areas for an AI-infused system of engagement recognition.




Figure 2: Flowchart outlining the procedures of the study.

involving children with ASD (e.g., FroggyBobby [7], ECHOES [2]) and is integrated into special education programs and on-site classroom settings [44]. By incorporating interactive and immersive elements from gamification, SG helps maintain engagement and enhance learning outcomes of a given task or goal, which in turn emphasizes the importance of SG and makes it promising due to its potential applications in the acquisition of skills across daily life and various domains and educational purposes.

However, the expandability of these areas requires further exploration, as the majority of studies have been biased toward developing highly predictable models for engagement in the context of assistive robots, aiming to enhance prediction accuracy [33, 34]. In addition, studies involving children with ASD are challenging due to participant specificity and small sample sizes, resulting in insufficient empirical evidence from recent studies [35] within specific domains [33, 34], rather than for general purposes that are practically applicable and feasible in classroom settings. This in turn has resulted in a gap that leads to a lack of empirical studies necessary for broader application and expansion into various areas [22]. There have been no comprehensive investigations exploring potential application areas of engagement recognition for children with ASD. To bridge this gap, additional study is required, focusing on exploration and proposals for applicable areas that are crucial for expanding into diverse domains. With the growing ASD population [9], broadening assistive technology into areas such as general learning and cultural leisure activities is becoming important [21].

The goal of this work is to investigate the potential application areas of an AI-infused system that provides engagement status of children with ASD by classifying their engagement within three levels (i.e., 0: not engaged and out of control, 1: moderately engaged, 2: highly engaged). To achieve this, we conducted expert interviews involving nine teachers in the special education field to answer

the following research question: "What are the potential application areas of an AI-infused system for engagement recognition in children with ASD?" as illustrated in Figure 1. This approach enables the identification of applicable areas in recognizing engagement status and its AI applications, revealing gaps and on-site challenges that need improvement in special education and assistive technology, thereby inspiring further research in ASD.

The following section introduces the Engnition dataset, providing detailed context and data description, as illustrated in Figure 2. Section 3 outlines the entire process of conducting expert interviews and administering detailed questionnaires for feedback collection. And section 4 reports the results on potential application areas for engagement recognition in children with ASD. The final section discusses the conclusions and outlines future directions.

2 Engnition Dataset

2.1 Dataset Description

This dataset is dedicated to provide multi-dimensional data (i.e., physiological and behavioral responses, expert annotations, and post-hoc questionnaires) of children with ASD in the context of playing an SG, with the purpose of incorporating AI and advancing engagement recognition [22]. This dataset involves engagement [16, 25], gaze fixation [32, 41], intervention [38], responses on galvanic skin response [3, 6] and skin temperature [15], performance [1], elapsed time [17], accelerometer [26, 31], NASA task load index [47], and system usability scale [12] as summarized in Table 1. It provides data in the context of limited access and a few publicly available datasets of children with ASD, focusing on practical implementations (e.g., SG and off-the-shelf devices) in a real world setting in terms of cost-effectiveness and lower barriers. This dataset was established with the background of an SG, known as "Defeat the Monster," which aims to promote cognitive and motor development by incorporating visual perception, motor planning, and execution of movements by recognizing and classifying toy blocks [11, 29]. When children with ASD recognize the color of the tasks from the screen that presents the target color and classify them into boxes with matching colors, an attack on the monster occurs. By repeating this attack process, the monster is finally defeated when the anger gauge reaches its maximum.

Table 1: Dataset description for engagement recognition

Data/signal	Sampling rate	Range/Unit
Engagement	60 Hz	Code (0/1/2)
Gaze fixation	60 Hz	Code (0/1)
Intervention	<i>On each occasion</i>	Time stamp
Galvanic skin response	4 Hz	μS (Siemens)
Skin temperature	4 Hz	$^{\circ}C$
Performance	<i>Every session</i>	Score (0/1)
Elapsed time	<i>Every session</i>	s (second)
Accelerometer	32 Hz	$g \approx 9.81m/s^2$
System usability scale	<i>Post-experiment</i>	Score (0-100)
NASA task load index	<i>Post-experiment</i>	Score (0-100)

3 Expert Interview

We designed and conducted expert interviews to investigate the potential application areas of an AI-infused system for engagement recognition from expert perspectives, as incorporating on-site feedback for practical application is considered crucial [46].

3.1 Expert Composition

To explore and broaden the practical application areas of expertise, we recruited teachers in special schools. The recruitment criteria were (i) more than 5 years of experience in the field, and (ii) being an on-site special educator currently working with our focus group. We interviewed nine teachers (age: $M = 35$, $SD = 6$) who were currently working in special schools and classes for children with ASD and intellectual disabilities, as summarized in Table 2. These teachers had an average of over 16 years of experience, spanning from education (i.e., special education) to work experience as teachers. All experts have research experience in studies involving children with ASD, with experts B and E holding doctoral degrees in special education. Experts A and G specialize in AI fusion in special education, and experts A, B, C, D, E, F, and G are part of a program planning group run by the city's education office for software education and AI applications. Considering the diversity of specialization in the field of special education and the decades of on-site experience of the experts we have recruited, we believe that our expert group is ideally aligned with our goals. Furthermore, their extensive knowledge of the characteristics, challenges, and needs of school-aged children with ASD makes them particularly well-suited for our investigation.

Table 2: Interview group of experts (Note: Gen = Gender, YEW = Years of Education and Work Experience, M = Male, F = Female)

Expert	Gen	Age/YEW	Specialization
A	M	35/14	Science and AI fusion education
B	M	36/18	Learning disability
C	M	29/12	Secondary special education
D	M	33/15	Information and computer
E	M	49/23	Multiple physical disabilities
F	F	36/19	Secondary special education
G	M	41/21	AI fusion education
H	M	32/14	Secondary special education
I	F	29/10	Secondary special education

3.2 Interview Process and Questionnaire

The interview was designed to be concurrently conducted with the administration of the questionnaire, taking approximately 1 h per expert. The questionnaire was delivered using a survey tool (i.e., SurveyMonkey) and provided via laptop PC. Experts were required to type their responses directly into the survey platform during the interview. All expert responses were digitized and output in CSV format for each question.

The questionnaire comprised three sections, starting with demographic information (e.g., name, age, gender, affiliation, major, specialization, years of work experience, types of disabilities that the special education teacher has previously worked with, and

research experience). The second section provided an introduction to engagement recognition in the context of SG, including its background and operation method, the purpose and detailed description of the dataset, and a brief video illustrating the AI-infused system that classifies engagement status into three levels. In the last section, experts were asked to answer questions on potential application areas where AI-infused systems of engagement recognition could provide substantial benefits, particularly in assisting children with ASD and supporting educators. For instance, three questions were asked for each scenario: Q1. “In which areas (e.g., education, culture, and daily living) and which activities within those areas (e.g., vocational training) can this AI-infused system of engagement recognition for intervention be utilized for children with ASD?”, Q2. “Why is engagement recognition and intervention necessary for children with ASD in the activities proposed in Q1?”, and Q3. “What expected benefits are anticipated through the engagement recognition of children with ASD?” After the interviews, experts received \$90 as compensation.

4 Interview Result

We reviewed the results from individual interviews. All questionnaire answers were compiled and similar responses were merged, ultimately resulting in the identification of five distinct application areas for AI-infused systems for engagement recognition, as illustrated in Figure 3. The following section 4.1 presents five potential application areas derived from the expert interviews, along with the distribution of individual responses to identify the prioritized and biased outcomes, as detailed in section 4.2.

4.1 Potential Application Areas

4.1.1 Social skills training and social adaptation. Improving communication skills, basic functional abilities for the independent use of public facilities, vocational skills for economic activities, and interpersonal relationships for social activities is important [27]. According to expert G, “*Social adaptation impacts various areas, including personal life, vocation, leisure, and independent living. Therefore, special education programs aim to teach and train in areas such as interpersonal, communication, and basic learning skills in actual classes. For children with ASD, social skills training and social adaptation are considered to be the starting point in all life areas, playing a crucial role in their development.*” Hence, applying an AI-infused system to understand their engagement levels could serve as a significant milestone for improving social abilities, considering the need for varied experiences and training in social skills and adaptation. Understanding the precise moment when an individual's engagement declines can help identify areas of competence deficiency in social interactions of children with ASD. This allows for the development of personalized teaching methods and adaptive interventions to improve social abilities, according to expert I [23].

4.1.2 Stereotyped behavior modification. Stereotyped behavior in children with ASD exacerbates difficulties for those around them (e.g., family members, caregivers, and teachers), posing dysfunctional challenges to their coexistence in society [31]. This may include high-risk behaviors such as biting, hitting, head-banging, scratching, and self-harm. Disruptive behaviors such as crying, screaming, refusal to speak, and leaving seats can also occur, along




Figure 3: Diagram illustrating five potential application areas of the engagement recognition based on expert interviews.

with echolalia, clapping, tics, and body shaking in public places. These stereotyped behaviors not only cause physical, psychological, and economic pain for those around them but also deprive children with ASD of educational opportunities. Identifying problem behaviors in advance and applying an AI-infused system to monitor engagement levels is meaningful for correcting these behaviors [24]. In addition, experts D and G noted that, *"Attacks or self-harming behaviors are often influenced by preceding events, though not all cases can be definitively linked. Nevertheless, if low levels of engagement or disengagement associated with stereotyped behavior are identified in advance, they can be addressed through proactive interventions."*

4.1.3 Support for individual and group leisure and cultural activities. Playful and physical activities are commonly used by children with ASD and are enjoyable and easily adaptable to their developmental levels, according to expert F [22]. These activities allow children to express their emotions and relieve their stress. They also aid in forming relationships with peers [43]. In addition, these activities can promote basic daily living skills and sociability. These skills can be enhanced by following simple rules to address problems individually or collaboratively within an activity [30]. According to experts C and G, *"Behavioral patterns represented in one-on-one activities may differ from those in group activities. In this context, an AI-infused system for monitoring individual's engagement level can be helpful for programming teaching methods and personalizing them by observing their interactions [33]."*

4.1.4 Teacher assistance for effective tutoring. Integrating feedback from monitoring both the engagement and physiological and behavioral responses of children with ASD can be used for intensive instruction [48]. For instance, it can be helpful in guiding students to use step-by-step techniques in task analysis. Expert D emphasized, *"By foreseeing and preventing impulsive behaviors at the stage where children with ASD are experiencing limitations or difficulties (i.e., when their engagement level is low as detected by AI), appropriate instruction can be provided, such as resting or additional intervention."* Additionally, it can be effectively applied to physical education activities [39], according to expert B. In response to obesity and underdeveloped basic motor skills, the inclusion of physical activity in curricula is being actively promoted [28]. In physical activity, it is important to perform core and basic physical exercises, understand the concentration required to maintain posture, the limits of an individual, and health status, and provide guidance accordingly.

Intensive instruction is expected to be possible not only through engagement but by also monitoring other measuring indices (e.g., heart rate and endurance), according to expert D.

4.1.5 Support for independent daily living activities. For children with ASD, whose daily living skills have not yet been developed, providing adaptive feedback based on the performance of an individual plays an important role in enhancing daily living skills [45] (e.g., going to the theater (experts I and H), boarding a bus (expert D), using a kiosk (expert E), and hand washing (expert C)). For instance, teaching children hand washing as part of their daily living skills involves multiple steps. However, for children with ASD, instructions are further divided into smaller tasks, starting from approaching the sink and finally drying their hands using a towel. If a child struggles or fails to complete a stage, providing follow-up intervention (e.g., guidance or clues) based on engagement levels can be beneficial for developing daily living skills. In particular, expert C noted that, *"The feedback is expected to be helpful when combined with backward or forward chaining methods [13]."*

4.2 Distributions of Individual Responses

A total of 26 feedback reports from experts were categorized within five potential application areas because one feedback was not completed and was thus excluded. As shown in Figure 4, the distribution result was visualized based on 26 feedback reports. Social skills training and social adaptation was mentioned the most. This aligns with the trend that primarily focuses on social engagement and interaction involving children with ASD [10, 19]. Supporting individual and group leisure and culture followed next. Forming a healthy mindset can lead to increased participation in all areas for an individual with ASD, and can prevent stereotyped and disruptive behavior [24]. The effects can be further maximized in interactive and playful activities [40], and in interaction between peers and groups [43]; thus, this might have been considered important. Independent support for daily living activities follows, focusing on increasing the independent daily living skills of children with ASD from school age and beyond [13]. To support an independent life, acquiring and enhancing skills in various daily living skills (e.g., brushing teeth (expert A) [42], cleaning (expert E) [14], and washing hands (expert C) [20] is the focus in the field of special education. The highly mentioned and ranked categories align well with the trend of previous studies traditionally targeting children with ASD,

and have been identified as promising areas for the incorporation of AI-infused systems.




Figure 4: Visual representation of individual interview results distributed across five potential application areas.

5 Conclusion and Future Works

This work highlighted the potential of AI-infused systems that provide engagement status with three levels and integrate follow-up interventions. Through expert interviews, we identified five key application areas where AI-infused systems can benefit: (1) social skills training and social adaptation (e.g., an AI that monitors engagement levels to improve social skills and adaptation in children with ASD by identifying moments of disengagement and areas of social competence deficiency, such as communication, cooperation, and emotional regulation), (2) stereotyped behavior modification (e.g., an AI that can predict in advance the moment when engagement decreases, leading to proactive intervention by a teacher or assistive system), (3) support for group and individual leisure and cultural activities (e.g., an AI that can monitor engagement levels in one-on-one and group activities to optimize leisure and cultural programs), (4) teacher assistance for effective tutoring (e.g., an AI that monitors engagement levels during lessons to detect moments of limitations or difficulties, providing appropriate instruction to optimize tutoring), and (5) support for independent daily living activities (e.g., an AI that monitors engagement levels during daily living activities to help children with ASD develop independent living skills through tailored guidance and support). In addition, we recognized the significant role and need for early prediction of declining engagement, personalized learning, and linking follow-up interventions based on engagement levels of children with ASD. This work contributes to expanding the application areas of AI from the perspectives of special educators, researchers, and parents, and aims to inspire further research on AI-driven assistive technologies for children with ASD.

Implementing an AI-infused system for engagement recognition involves several practical considerations. Tasks involving children with ASD can vary widely, leading to diverse cognitive and motor demands, which may require tailored modeling of engagement recognition for specific contexts. Extensive data collection and learning from various contexts are necessary to optimize engagement recognition across activities. The AI-infused system in

this study uses physiological and behavioral data to determine the child's level of engagement while ensuring data anonymization for privacy. However, using facial or emotional data for advanced engagement modeling raises security concerns, necessitating informed consent and robust data protection measures.

Acknowledgments

This work was supported in part by the GIST-MIT Research Collaboration grant funded by the GIST in 2024 and the National Research Foundation of Korea (NRF) grant funded by the Korea government (MSIT) (RS-2024-00343397), and the Culture, Sports and Tourism Research and Development Program through the Korea Creative Content Agency funded by the Ministry of Culture, Sports and Tourism, in 2022, through the Project Name: Development of Artificial Intelligence-Based Game Simulation Technology to Support Online Game Content Production under Project R2022020070

References

- [1] Miguel Bernardes, Fernando Barros, Marco Simoes, and Miguel Castelo-Branco. 2015. A serious game with virtual reality for travel training with Autism Spectrum Disorder. In *2015 international conference on virtual rehabilitation (ICVR)*. IEEE, New York, NY, USA, 127–128.
- [2] Sara Bernardini, Kaśka Porayska-Pomsta, and Tim J Smith. 2014. ECHOES: An intelligent serious game for fostering social communication in children with autism. *Information Sciences* 264 (2014), 41–60.
- [3] Mariana Aparicio Betancourt, Laura S Dethorne, Karrie Karahalios, and Jennifer G Kim. 2017. Skin conductance as an in situ marker for emotional arousal in children with neurodevelopmental communication impairments: Methodological considerations and clinical implications. *ACM Transactions on Accessible Computing (TACCESS)* 9, 3 (2017), 1–29.
- [4] Arpita Bhattacharya, Mirko Gelsomini, Patricia Pérez-Fuster, Gregory D Abowd, and Agata Rozga. 2015. Designing motion-based activities to engage students with autism in classroom settings. In *Proceedings of the 14th international conference on interaction design and children*. ACM, New York, NY, USA, 69–78.
- [5] LouAnne E Boyd, Saumya Gupta, Sagar B Vikmani, Carlos M Gutierrez, Junxiang Yang, Erik Linstead, and Gillian R Hayes. 2018. VrSocial: Toward immersive therapeutic VR systems for children with autism. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. ACM, New York, NY, USA, 1–12.
- [6] Iuliia Brishtel, Shoya Ishimaru, Olivier Augereau, Koichi Kise, and Andreas Dengel. 2018. Assessing cognitive workload on printed and electronic media using eye-tracker and EDA wristband. In *Proceedings of the 23rd International Conference on Intelligent User Interfaces Companion*. ACM, New York, NY, USA, 1–2.
- [7] Karina Caro, Mónica Tentori, Ana I Martinez-Garcia, and Marina Alvelais. 2017. Using the FroggyBobby exergame to support eye-body coordination development of children with severe autism. *International Journal of Human-Computer Studies* 105 (2017), 12–27.
- [8] Jingying Chen, Guangshuai Wang, Kun Zhang, Guanghai Wang, and Leyuan Liu. 2019. A pilot study on evaluating children with autism spectrum disorder using computer games. *Computers in Human Behavior* 90 (2019), 204–214.
- [9] Hangnyoung Choi, Jae Han Kim, Hee Sang Yang, Jong Yeob Kim, Samuele Cortese, Lee Smith, Ai Koyanagi, Elena Dragioti, Joaquim Radua, Paolo Fusar-Poli, et al. 2024. Pharmacological and non-pharmacological interventions for irritability in autism spectrum disorder: a systematic review and meta-analysis with the GRADE assessment. *Molecular Autism* 15, 1 (2024), 7.
- [10] Caitlyn Clabaugh, David Becerra, Eric Deng, Gisele Ragusa, and Maja Matarić. 2018. Month-long, in-home case study of a socially assistive robot for children with autism spectrum disorder. In *Companion of the 2018 ACM/IEEE International Conference on Human-Robot Interaction*. ACM, New York, NY, USA, 87–88.
- [11] Geraldine Dawson and Renee Watling. 2000. Interventions to facilitate auditory, visual, and motor integration in autism: A review of the evidence. *Journal of autism and developmental disorders* 30 (2000), 415–421.
- [12] Alison Dodwell and Lana M Trick. 2020. The effects of secondary tasks that involve listening and speaking on young adult drivers with traits associated with autism spectrum disorders: A pilot study with driving simulation. *Transportation research part F: traffic psychology and behaviour* 69 (2020), 120–134.
- [13] Sarah C Domire and Pamela Wolfe. 2014. Effects of video prompting techniques on teaching daily living skills to children with autism spectrum disorders: A review. *Research and Practice for Persons with Severe Disabilities* 39, 3 (2014), 211–226.

- [14] Amie Duncan, Jareen Meinzen-Derr, Lisa A Ruble, Carrie Fassler, and Lori J Stark. 2021. A pilot randomized controlled trial of a daily living skills intervention for adolescents with autism. *Journal of autism and developmental disorders* 52 (2021), 1–12.
- [15] Nan Gao, Wei Shao, Mohammad Saiedur Rahaman, and Flora D Salim. 2020. n-gage: Predicting in-class emotional, behavioural and cognitive engagement in the wild. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies* 4, 3 (2020), 1–26.
- [16] Jack Hadfield, Georgia Chalvatzaki, Petros Koutras, Mehdi Khamassi, Costas S Tzafestas, and Petros Maragos. 2019. A deep learning approach for multi-view engagement estimation of children in a child-robot joint attention task. In *2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, New York, NY, USA, 1251–1256.
- [17] Darin E Hughes, Eleazar Vasquez, and Erika Nicsinger. 2016. Improving perspective taking and empathy in children with autism spectrum disorder. In *2016 IEEE International Conference on Serious Games and Applications for Health (SeGAH)*. IEEE, New York, NY, USA, 1–5.
- [18] Sinh Huynh, Seungmin Kim, JeongGil Ko, Rajesh Krishna Balan, and Youngki Lee. 2018. Engagement: Multi-modal engagement sensing for mobile games. *Proceedings of the ACM on interactive, mobile, wearable and ubiquitous technologies* 2, 1 (2018), 1–27.
- [19] Shomik Jain, Balasubramanian Thiagarajan, Zhonghao Shi, Caitlyn Clabaugh, and Maja J Mataric. 2020. Modeling engagement in long-term, in-home socially assistive robot interventions for children with autism spectrum disorders. *Science Robotics* 5, 39 (2020), eaaz3791.
- [20] Ayse Kilincaslan, Sule Kocas, Sumeyye Bozkurt, Ilyas Kaya, Songül Derin, and Resa Aydin. 2019. Daily living skills in children with autism spectrum disorder and intellectual disability: A comparative study from Turkey. *Research in Developmental Disabilities* 85 (2019), 187–196.
- [21] Hyungsook Kim, David Michael O'Sullivan, Seong Hee Chung, et al. 2022. Applying gamification principles and therapeutic movement sequences to design an interactive physical activity game: development study. *JMIR Serious Games* 10, 4 (2022), e38133.
- [22] Won Kim, Minwoo Seong, Kyung-Joong Kim, and SeungJun Kim. 2024. Engagnition: A multi-dimensional dataset for engagement recognition of children with autism spectrum disorder. *Scientific Data* 11, 1 (2024), 299.
- [23] Ben G. Kinsella, Stephanie Chow, and Azadeh Kushki. 2017. Evaluating the Usability of a Wearable Social Skills Training Technology for Children with Autism Spectrum Disorder. *Frontiers in Robotics and AI* 4 (2017), 1–9. <https://doi.org/10.3389/frobt.2017.00031>
- [24] Manu Kohli, Arpan Kumar Kar, and Shuchi Sinha. 2022. The Role of Intelligent Technologies in Early Detection of Autism Spectrum Disorder (ASD): A Scoping Review. *IEEE Access* 10 (2022), 104887–104913. <https://doi.org/10.1109/ACCESS.2022.3208587>
- [25] Uttama Lahiri, Esubalew Bekele, Elizabeth Dohrmann, Zachary Warren, and Nilanjan Sarkar. 2012. Design of a virtual reality based adaptive response technology for children with autism. *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 21, 1 (2012), 55–64.
- [26] Beibin Li, Adham Atyabi, Minah Kim, Erin Barney, Amy Yeojin Ahn, Yawen Luo, Madeline Aubertine, Sarah Corrigan, Tanya St. John, Quan Wang, et al. 2018. Social influences on executive functioning in autism: design of a mobile gaming platform. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. ACM, New York, NY, USA, 1–13.
- [27] Micah O Mazurek. 2013. Social media use among adults with autism spectrum disorders. *Computers in Human Behavior* 29, 4 (2013), 1709–1714.
- [28] Stephanie M McCoy, John M Jakicic, and Bethany Barone Gibbs. 2016. Comparison of obesity, physical activity, and sedentary behaviors between adolescents with autism spectrum disorders and without. *Journal of autism and developmental disorders* 46 (2016), 2317–2326.
- [29] Ana C Mierres, Russell S Kirby, Kathleen H Armstrong, Tanya K Murphy, and Lee Grossman. 2012. Autism spectrum disorder: an emerging opportunity for physical therapy. *Pediatric physical therapy* 24, 1 (2012), 31–37.
- [30] Antonella Nonnis and Nick Bryan-Kinns. 2019. Mazi: Tangible technologies as a channel for collaborative play. In *Proceedings of the 2019 CHI conference on human factors in computing systems*. ACM, New York, NY, USA, 1–13.
- [31] Thomas Plötz, Nils Y Hammerla, Agata Rozga, Andrea Reavis, Nathan Call, and Gregory D Abowd. 2012. Automatic assessment of problem behavior in individuals with developmental disabilities. In *Proceedings of the 2012 ACM conference on ubiquitous computing*. ACM, New York, NY, USA, 391–400.
- [32] Praselia Putra, Keisuke Shima, and Koji Shimatani. 2020. Catchicken: A serious game based on the go/nogo task to estimate inattentiveness and impulsivity symptoms. In *2020 IEEE 33rd International Symposium on Computer-Based Medical Systems (CBMS)*. IEEE, New York, NY, USA, 152–157.
- [33] Ognjen Rudovic, Jaeryoung Lee, Miles Dai, Björn Schuller, and Rosalind W Picard. 2018. Personalized machine learning for robot perception of affect and engagement in autism therapy. *Science Robotics* 3, 19 (2018).
- [34] Ognjen Rudovic, Yuria Utsumi, Jaeryoung Lee, Javier Hernandez, Eduardo Castelló Ferrer, Björn Schuller, and Rosalind W. Picard. 2018. CultureNet: A Deep Learning Approach for Engagement Intensity Estimation from Face Images of Children with Autism. In *2018 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, New York, NY, USA, 339–346. <https://doi.org/10.1109/IROS.2018.8594177>
- [35] Hanan Salam. 2021. Distinguishing Engagement Facets: An Essential Component for AI-based Interactive Healthcare. *arXiv preprint arXiv:2111.11138* abs/2111.11138 (2021), 1–10.
- [36] Sylvie Serret, Stephanie Hun, Galina Iakimova, Jose Lozada, Margarita Anastassova, Andreia Santos, Stephanie Vesperini, and Florence Askenazy. 2014. Facing the challenge of teaching emotions to individuals with low-and high-functioning autism using a new serious game: a pilot study. *Molecular autism* 5, 1 (2014), 1–17.
- [37] Nicole Sparapani, Lindee Morgan, Vanessa P Reinhardt, Christopher Schatschneider, and Amy M Wetherby. 2016. Evaluation of classroom active engagement in elementary students with autism spectrum disorder. *Journal of autism and developmental disorders* 46 (2016), 782–796.
- [38] Akshaya Sridhar, Jocelyn Kuhn, Susan Faja, Maura Sabatos-DeVito, Julia I Nikolaeva, Geraldine Dawson, Charles A Nelson, Sara J Webb, Raphael Bernier, Shafali Jeste, et al. 2022. Patterns of intervention utilization among school-aged children on the autism spectrum: Findings from a multi-site research consortium. *Research in autism spectrum disorders* 94 (2022), 101950.
- [39] Heidi Stanish, Carol Curtin, Aviva Must, Sarah Phillips, Melissa Maslin, and Linda Bandini. 2015. Enjoyment, barriers, and beliefs about physical activity in adolescents with and without autism spectrum disorder. *Adapted physical activity quarterly* 32, 4 (2015), 302–317.
- [40] Issey Takahashi, Mika Oki, Baptiste Bourreau, and Kenji Suzuki. 2018. Designing interactive visual supports for children with special needs in a school setting. In *Proceedings of the 2018 Designing Interactive Systems Conference*. ACM, New York, NY, USA, 265–275.
- [41] Zhansaula Telisheva, Aida Zhanatkyzy, Aizada Turarova, Nazerke Rakhymbayeva, and Anara Sandygulova. 2020. Automatic engagement recognition of children within robot-mediated autism therapy. In *Companion of the 2020 ACM/IEEE International Conference on Human-Robot Interaction*. ACM, New York, NY, USA, 471–472.
- [42] M Teste, A Broutin, M Marty, MC Valéra, F Soares Cunha, and E Noirrit-Esclassan. 2021. Toothbrushing in children with autism spectrum disorders: qualitative analysis of parental difficulties and solutions in France. *European Archives of Paediatric Dentistry* 22, 6 (2021), 1049–1056.
- [43] Nadine Trotter, Lorraine Kamp, and PAT Mirenda. 2011. Effects of peer-mediated instruction to teach use of speech-generating devices to students with autism in social game routines. *Augmentative and Alternative Communication* 27, 1 (2011), 26–39.
- [44] Stavros Tsikinas and Stelios Xinogalos. 2019. Studying the effects of computer serious games on people with intellectual disabilities or autism spectrum disorder: A systematic literature review. *Journal of Computer Assisted Learning* 35, 1 (2019), 61–73.
- [45] Ersilia Vallefuoco, Carmela Bravaccio, Giovanna Gison, Leandro Pecchia, and Alessandro Pepino. 2022. Personalized training via serious game to improve daily living skills in pediatric patients with autism spectrum disorder. *IEEE Journal of Biomedical and Health Informatics* 26, 7 (2022), 3312–3322.
- [46] Renée JF Van Den Heuvel, Monique AS Lexis, Rianne ML Janssens, Patrizia Marti, and Luc P De Witte. 2017. Robots supporting play for children with physical disabilities: exploring the potential of IROMEC. *Technology and Disability* 29, 3 (2017), 109–120.
- [47] Patrice L Weiss, Eynat Gal, Massimo Zancanaro, Leonardo Giusti, Sue Cobb, Laura Millen, Tessa Hawkins, Tony Glover, Daven Sanassy, and Sigal Eden. 2011. Usability of technology supported social competence training for children on the autism spectrum. In *2011 international conference on virtual rehabilitation*. IEEE, New York, NY, USA, 1–8.
- [48] Chongruo Wu, Sidrah Liaqat, Halil Helvacı, Sen-ching Samson Chng, Chen-Nee Chuah, Sally Ozonoff, and Gregory Young. 2021. Machine learning based autism spectrum disorder detection from videos. In *2020 IEEE International Conference on E-health Networking, Application & Services (HEALTHCOM)*. IEEE, New York, NY, USA, 1–6.